EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	(US-20040111715-$ or US-20020104076-$ or US-20020147969-$ or US-20040168028-$ or US-20020095668-$ or US-20020046298-$).did. or (US-7210127-$ or US-6298477-$ or US-5946487-$ or US-6760907-$ or US-6851109-$ or US-6295642-$ or US-6282702-$ or US-6336213-$ or US-6324687-$ or US-6295641-$ or US-6233725-$ or US-5835765-$ or US-5970249-$ or US-6240548-$ or US-7725885-$ or US-6081665-$ or US-6397379-$ or US-7222218-$ or US-7155707-$ or US-6671877-$ or US-6374286-$ or US-7174546-$ or US-6530075-$ or US-5995754-$ or US-6317796-$).did.	US-PGPUB; USPAT	OR	OFF	2010/11/02 10:31
L2	6	1 and priority and queue and task and counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/02 10:31
L3	1	1 and (management same (queue priority task)) and batch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/02 11:06
L4	2	1 not 3 and batch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/02 11:12
L5	3	bytecode and Java and (batch near4 compilation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/02 11:16

EAST Search History (Prior Art)

L6	198	(bytecode and JIT) and ((group aggregate bundle collective collection set) near8 (compilation request))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/02 11:30
L7	84	6 and ((group aggregate bundle collective collection family) near8 (compilation request))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/02 11:30
L8	34	7 and (interpreter interpretation) and queue and (prioritiz$4 task management) and counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/02 11:31
S1	287	bytecode and interpret$4 and (native same (execut$4 compil$4)) and @rlad< "20030528"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 11:13
S2	61	bytecode and interpret$4 and (native same (execut$4 compil$4)) and (priorit$4 same (queue task method) and (threshold frequently hot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 11:15
S3	67	((bytecode IR (byte adj code)) same (compil$4 and interpret$4)) and ((load$4 fetch$4) with method) and (priorit$4 same (queue task method) and (threshold frequently hot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 11:16
S4	15	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 11:17

S5	4	S1 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 11:17
S6	9	(S4 S5) and (native near4 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 11:17
S7	20	((Java with (virtual machine)) JIT JVM) same ((execut$4 and interpret$4) with (simultaneous$3 parallel concurrentl$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 15:11
S8	0	bytecode and interpret$4 and S7 and @rlad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 15:11
S9	0	interpret$4 and S7 and @rlad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 15:11
S10	287	bytecode and interpret$4 and (native same (execut$4 compil$4)) and @rlad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 15:47
S11	0	S10 and (parallel near4 processor) same (execut$4 and interpret$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 15:47

EAST Search History (Prior Art)

S12	61	bytecode and interpret$4 and (native same (execut$4 compil$4)) and (priorit$4 same (queue task method) and (threshold frequently hot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 15:48
S13	67	((bytecode IR (byte adj code)) same (compil$4 and interpret$4)) and ((load$4 fetch$4) with method) and (priorit$4 same (queue task method) and (threshold frequently hot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 15:48
S14	1	(S12 S13) and (parallel near4 processor) same (execut$4 and interpret$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 15:48
S15	70	(parallel concurrent multiple simulatenous$4) same (((bytecode (byte near code)) and native) with execut$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 15:49
S16	13	((parallel concurrent multiple simulatenous$4) near5 processor) and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 15:50
S17	1	((concurrent parallel (first and second)) and (processor core)) with (interpret$3 and execut$4) with (bytecode and native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:08
S18	0	((concurrent parallel (first and second)) and (process thread module)) with (interpret$3 and execut$4) with (bytecode and native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:09

EAST Search History (Prior Art)

S19	3	((concurrent parallel (first and second)) and (process thread module program machine)) with (interpret$3 and execut$4) with (bytecode and native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:10
S20	0	(JIT JVM) same ((thread parallel concurrent$4) with (compile and interpret and execut$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:12
S21	22	(JIT JVM) same ((thread parallel concurrent$4) with (compil$3 and interpret$4 and (execut$4 native)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:13
S22	3	(JIT JVM) and ((thread parallel concurrent$4) with (interpret$4 and execut$4) with ((bytecode compiled JiTed) and (native binary)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:17
S23	181	JIT and "Business Machines" and (interpreter same native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:20
S24	157	bytecode and interpret$4 and (native same (execut$4 compil$4)) and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:20
S25	3	((concurrent$4 parallel (first and second) alternat$5 simultaneous$4) and (processor core JVM JIT)) with (interpret$3 and execut$4) with (bytecode and native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:21

S26	8	BEadle.in. and ((multi adj (thread processor core) JVM JIT) and (interpret$3 and execut$4) with (bytecode and native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:23
S27	1	("Business Machines" Microsystems).as. and (simultaneous$4 parallel thread) with (interpret$3 and execut$4) with (bytecode and native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/29 16:25
S28	8	("5970249" "6240548" "6463582" "20020147969" "5835765").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 15:13
S29	5	S28 and priority and (synchroniz$4 pause queue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 15:15
S30	75	compil$4 with ((slot interval time) near5 (unclaimed unused pause free))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 15:43
S31	4	S30 and (processor core JVM JIT) and (interpret$3 and execut$4) with ((bytecode (byte adj code)) and (native compil$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 15:44
S32	5	JIT and (interpret$4 same bytecode) and (compil$4) same ((free lower unused) near6 (slice period slot time priority precedence queue))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 15:49

EAST Search History (Prior Art)

S33	3	(((priority near based) "priority-based") with compil$4) and (((dynamic near2 compiler) and (JVM Java)) Just-in-Time JIT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 15:52
S34	7	((intersperc$4 alternat$4 ((turn$4 switch$4) near4 (off and on))) with (interpretation and compilation)) and (JIT Just-In-Time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 16:31
S35	0	Just-In-Time and ((prioritization with task) same ((dynamic$$ optimiz$5 GC interpret$4) and compil$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:07
S36	285	Just-In-Time and (prioritiz$6 priority ordered pre-order$4) with (task queue "hot spot" trace)) and ((dynamic$5 optimiz$5 GC interpret$4) and compil$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:09
S37	209	((bytecode IR (byte adj code)) and (compil$4 and interpret$4)) and ((load$4 fetch$4) with method) and (priorit$4 same (queue task method) and (threshold frequently hot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:09
S38	294	(S36 S37) and (queue with (control manag$4 priorit$5 synchroniz$5 arbitrat$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:11
S39	54	S38 and ((dynamic$4 just-in-time) near5 compil$4) and ((interpret$4 and execut$4) same ((byte near code) bytecode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:12

S40	21	(queue with (trace bytecode (compilation near4 request))) same (compil$4 with (interpret$4 execution))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:17
S41	4	S39 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:17
S42	19	("5182806" | "5768592" | "5784553" | "5815720" | "5966537" | "6016399" | "6078744" | "6081665" | "6112025" | "6253215" | "6311325" | "6336213" | "6397379" | "6530075" | "6546550" | "6604210" | "6637025" | "6851109" | "6907437").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/30 18:19
S43	1	S42 and (S36 S37)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/30 18:19
S44	157	("6081665").URPN.	USPAT	OR	OFF	2010/10/30 18:20
S45	1	S44 and S38	USPAT	OR	OFF	2010/10/30 18:21
S46	1	S44 and S40	USPAT	OR	OFF	2010/10/30 18:21
S47	1	S44 and (S36 S37)	USPAT	OR	OFF	2010/10/30 18:21
S48	1	(S39 S40) and (S42 S44)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:22
S49	19	("5182806" | "5768592" | "5784553" | "5815720" | "5966537" | "6016399" | "6078744" | "6081665" | "6112025" | "6253215" | "6311325" | "6336213" | "6397379" | "6530075" | "6546550" | "6604210" | "6637025" | "6851109" | "6907437").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/30 18:30
S50	13	("4463423" | "5367685" | "5418964" | "5740441" | "5761477" | "5784553" | "5787431" | "5848274" | "5848423" | "5857197" | "5864862" | "5907707" | "5913065").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/30 18:31

S51	2	(S49 S50) and ((priority prioritiz$4) with (request trace module queue task bytecode stack)) and ((manag$3 control$4 schedul$4 arbitrat$4) same ((execut$4 load interpret$4) and compil$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:33
S52	225	(S44 S42 S36 S37) and ((byte near code) bytecode) and (just-in-time JIT JVM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:37
S53	13	S52 and (priority prioritiz$4 queue$3) same ((manag$3 control$4 schedul$4 arbitrat$4) same ((execut$4 load interpret$4) and compil$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/30 18:38
S54	9	("20030149960" | "20040221272" | "4852173" | "6240548" | "6530075" | "6640286" | "7103723" | "7155707" | "7222218").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/30 18:39
S55	23	(US-20040111715-$ or US-20020104076-$ or US-20020147969-$ or US-20040168028-$).did. or ((US-7210127-$ or US-6298477-$ or US-5946487-$ or US-6760907-$ or US-6851109-$ or US-6295642-$ or US-6282702-$ or US-6336213-$ or US-6324687-$ or US-6295641-$ or US-6233725-$ or US-5835765-$ or US-5970249-$ or US-6240548-$ or US-7725885-$ or US-6081665-$ or US-6397379-$ or US-7222218-$ or US-7155707-$).did.	US-PGPUB; USPAT	OR	OFF	2010/10/31 15:45
S56	1	S55 and JIT and ((request task) with (queue priorit$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 15:46
S57	1	(recompil$4 (JIT same compil$3)) with (priority near7 (basis queue order rank$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:12

EAST Search History (Prior Art)

S58	735	((byte near code) bytecode) and (compil$3 with (priority queue order))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:17
S59	11	S58 and JIT and ((request task manag$4 updat$4 analyz$4 inspect$4 determin$5) with ((queue order rank position) and priorit$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:18
S60	27	S58 not S59 and ((request task manag$4 updat$4 analyz$4 inspect$4 determin$5) with (compil$4 and (queue order rank position) and priorit$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:25
S61	27	S60 and ((byte near code) bytecode Just-in-time JIT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:27
S62	3	S61 and (((byte near code) bytecode) and (Just-in-time JIT))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:27
S63	3	Doi.in. and JVM and JIT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:31
S64	1230	register with ((allocat$4 live) and priority)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:39

S65	20	S64 and (compil$3 with (priority-based (priority near7 (basis queue order rank$3))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:40
S66	12	S65 and compil$3 near6 (adaptive incremental$3 efficien$3 optimiz$4 efficient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:45
S67	0	((prioritiz$3 priority) near5 compil$4) and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:46
S68	32	((prioritiz$3 priority) near5 compil$4) and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:46
S69	3	S68 and (((byte near code) bytecode) (Just-in-time JIT))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:46
S70	27	(US-20040111715-$ or US-20020104076-$ or US-20020147969-$ or US-20040168028-$ or US-20020095668-$).did. or (US-7210127-$ or US-6298477-$ or US-5946487-$ or US-6760907-$ or US-6851109-$ or US-6295642-$ or US-6282702-$ or US-6336213-$ or US-6324687-$ or US-6295641-$ or US-6233725-$ or US-5835765-$ or US-5970249-$ or US-6240548-$ or US-7725885-$ or US-6081665-$ or US-6397379-$ or US-7222218-$ or US-7155707-$ or US-6671877-$ or US-6374286-$ or US-7174546-$).did.	US-PGPUB; USPAT	OR	OFF	2010/10/31 16:56

S71	17	S70 and (JVM JIT) and ((already previously readily) compiled)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:57
S72	3	S71 and (JVM JIT) and ((already previously readily) near4 compiled)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 16:57
S73	2	"20020046298".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 18:30
S74	28	(US-20040111715-$ or US-20020104076-$ or US-20020147969-$ or US-20040168028-$ or US-20020095668-$ or US-20020046298-$).did. or (US-7210127-$ or US-6298477-$ or US-5946487-$ or US-6760907-$ or US-6851109-$ or US-6295642-$ or US-6282702-$ or US-6336213-$ or US-6324687-$ or US-6295641-$ or US-6233725-$ or US-5835765-$ or US-5970249-$ or US-6240548-$ or US-7725885-$ or US-6081665-$ or US-6397379-$ or US-7222218-$ or US-7155707-$ or US-6671877-$ or US-6374286-$ or US-7174546-$).did.	US-PGPUB; USPAT	OR	OFF	2010/10/31 18:34
S75	14	S74 and ((bytecode and compil$4) near8 native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 18:35
S76	2	"6530075".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 18:39

EAST Search History (Prior Art)

S77	0	S76 and ((bytecode and compil$4) near8 native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 18:39
S78	1	S76 and ((JIT compil$4) near8 native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 18:39
S79	29	(US-20040111715-$ or US-20020104076-$ or US-20020147969-$ or US-20040168028-$ or US-20020095668-$ or US-20020046298-$).did. or (US-7210127-$ or US-6298477-$ or US-5946487-$ or US-6760907-$ or US-6851109-$ or US-6295642-$ or US-6282702-$ or US-6336213-$ or US-6324687-$ or US-6295641-$ or US-6233725-$ or US-5835765-$ or US-5970249-$ or US-6240548-$ or US-7725885-$ or US-6081665-$ or US-6397379-$ or US-7222218-$ or US-7155707-$ or US-6671877-$ or US-6374286-$ or US-7174546-$ or US-6530075-$).did.	US-PGPUB; USPAT	OR	OFF	2010/10/31 18:42
S80	19	S79 and ((Just-In-Time JIT compil$4 convert$4) near7 native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 18:42
S81	5	S79 not S80 and (Just-In-Time JIT native)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 18:49
S82	11	S79 and (Just-In-Time JIT native) and task	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/31 19:51

EAST Search History (Prior Art)

S83	29	(US-20040111715-$ or US-20020104076-$ or US-20020147969-$ or US-20040168028-$ or US-20020095668-$ or US-20020046298-$).did. or (US-7210127-$ or US-6298477-$ or US-5946487-$ or US-6760907-$ or US-6851109-$ or US-6295642-$ or US-6282702-$ or US-6336213-$ or US-6324687-$ or US-6295641-$ or US-6233725-$ or US-5835765-$ or US-5970249-$ or US-6240548-$ or US-7725885-$ or US-6081665-$ or US-6397379-$ or US-7222218-$ or US-7155707-$ or US-6671877-$ or US-6374286-$ or US-7174546-$ or US-6530075-$).did.	US-PGPUB; USPAT	OR	OFF	2010/11/01 10:12
S84	0	S83 and (bytecode same (interpret$3 and compil$3)) and ((list queue and compil$4 recompil$4) with task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/01 10:13
S85	2	S83 and (bytecode same (interpret$3 and compil$3)) and ((list queue compil$4 recompil$4) with task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/01 10:14
S86	0	S83 not S85 and (bytecode same (interpret$3 and compil$3)) and ((list queue compil$4 recompil$4) same task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/01 10:16
S87	1	S83 not S85 and (bytecode same (interpret$3 and compil$3)) and (task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/01 10:16
S88	8	S83 not (S85 S87) and (bytecode same (interpret$3 and compil$3)) and (list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/01 10:18

EAST Search History (Prior Art)

S89	29	(US-20040111715-$ or US-20020104076-$ or US-20020147969-$ or US-20040168028-$ or US-20020095668-$ or US-20020046298-$).did. or (US-7210127-$ or US-6298477-$ or US-5946487-$ or US-6760907-$ or US-6851109-$ or US-6295642-$ or US-6282702-$ or US-6336213-$ or US-6324687-$ or US-6295641-$ or US-6233725-$ or US-5835765-$ or US-5970249-$ or US-6240548-$ or US-7725885-$ or US-6081665-$ or US-6397379-$ or US-7222218-$ or US-7155707-$ or US-6671877-$ or US-6374286-$ or US-7174546-$ or US-6530075-$).did.	US-PGPUB; USPAT	OR	OFF	2010/11/01 12:01
S90	7	S89 and ((task queue) with (register$4 manag$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/01 12:02
S91	4	("5995754" "6317796").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/01 12:15

EAST Search History (Interference)

		< This search history is empty>			